



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/804,792	03/14/2001	Poramaste Jinupun		2022

7590 08/25/2004  
PORAMASTE JINUPUN  
7 WINFLOWER RD.  
HAYDON WICK, SWINDON, WILTSHIRE, SN25 1QS  
UNITED KINGDOM

EXAMINER

NGUYEN, TRAN N

ART UNIT PAPER NUMBER

2834

DATE MAILED: 08/25/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

09/804 792

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER

ART UNIT

PAPER

8/23/04

DATE MAILED:

**Please find below and/or attached an Office communication concerning this application or proceeding.**

**Commissioner for Patents**

In response to the NOTICE OF DRAWING INCONSISTENCY OF DRAWINGS (FORM PTO-1631), the figure 1 is contained in the drawing but not listed in the Brief Description. of the drawing in the specification.

Therefore, the applicant would like to correct the inconsistency.

However, since the issue fee is paid, and the application is issued with the USPTO Patent 6781273 .

The proper procedure for the applicant to correct the inconsistency is to file "Certificate of Correction" .

The applicant letter, filed 4/20/04, request to correct the inconsistency is invalid procedure for correction an issued patent. Again, the applicant is advised to file a Certificate of Correction to resolve the inconsistency in the drawings and the specification of the US Patent 6781273.

Tran N. Nguyen  
Primary Examiner  
Art Unit: 2834